



Heathers 14

Yearbook of The Heather Society 2017

Editor

Dr E. Charles Nelson VMM

Assistant Editors

Anne Small & Barry Sellers

ISSN 0440-5757

The Heather Society

c/o 84 Kinross Road, Rushington, Totton, Southampton, SO40 9BN

Supplement XVII (2017) to *International register of heather names*

Registered names

Key to symbols: ®: registration details. ✱: description of clone. ●: history of clone.

Calluna vulgaris

‘Finula’

- ® C.2016:02: registered on 21 February 2016 by K. Kramer, Edewecht-Süddorf, Germany.
- ✱ Bud-flowering (Knospenblüher); buds lilac (H8): September–November; foliage dark green; after 3 years to 10cm tall, 30cm across.
- Seedling raised and selected by Kurt Kramer.

‘Maite’

- ® C.2016:01: registered on 21 February 2016 by K. Kramer, Edewecht-Süddorf, Germany.
- ✱ Bud-flowering (Knospenblüher); buds red (H6): September–November; foliage dark green; after 3 years to 10cm tall, 30cm across.
- Seedling raised and selected by Kurt Kramer.

‘Mina’

- ® C.2016:03: registered on 21 February 2016 by J. van Leuven, Geldern-Lüllingen, Germany.
- ✱ Bud-flowering (Knospenblüher); buds red, October–December. Mature foliage very dark black-green; green when young. Habit upright, to 50cm tall × 50cm across after 4 years (pruned).
- Seedling raised and selected by Johannes van Leuven in October 2011. Named after his grandmother.

‘Salome’

- ® C.2016:04: registered on 21 February 2016 by J. van Leuven, Geldern-Lüllingen, Germany.
- ✱ Bud-flowering (Knospenblüher); buds “salmon” (“a new colour in *Calluna*”), September–December. Foliage green. Habit upright, to 50cm tall × 50cm across after 4 years (pruned).
- Seedling raised and selected by Johannes van Leuven in October 2012.

Daboecia

D. cantabrica f. *blumii* ‘Pinky Perky’

- ® D.2016:01: registered 7 December 2016 by D. Edge, Wimborne, Dorset.
- ✱ Flowers facing upwards, cerise, on upright sweeping branches; June–September. Foliage mid-green throughout year. Upright, sweeping shrub to 35cm tall, to 35cm across in 3 years (not pruned). Flower colour unique in *D. cantabrica* f. *blumii*.
- Seedling found by David Edge in 2013 at Forest Edge Nurseries.

Daboecia ‘Sun Seeker’ *

- ® D.2016:02: registered 7 December 2016 by D. Edge, Wimborne, Dorset.
- ✱ Foliage pale “golden-yellow” (RHSCC 144A–B, Yellow-green Group: plant from shade-house in December), brightest in summer; leaves crowded on shoots; more or less glabrous with a few very small, gland-tipped hairs above, oval to obovate, to 8 × 6mm, acute, felted and silvery underneath; larger than

'Golden Imp'. Flowers single, purple (H10) relatively few; May–September. Bushy, upright shrub, to 30cm tall, 35 cm across after 3 years (not pruned).

- Seedling found by David Edge in 2014 at Forest Edge Nurseries. * May be *D. × scotica* but flowering material not available at time of registration.

Daboecia 'Pink Tina'

® D.2016:03: registered 22 December 2016 by J. van Leuven, Geldern-Lüllingen, Germany.

* Foliage. Flowers single, "lachsrosa", July–October. Foliage green. Habit broadly upright, to 50cm tall, 50cm spread after 4 years (pruned).

- Sport on 'Tina' found and propagated by Johannes van Leuven.

Erica

E. arborea 'Grüner Favorit'

® E.2016:09: registered on 29 December 2016 by J. van Leuven, Geldern-Lüllingen, Germany.

* Dunkelgrün, sehr buschig mit dicht besetzten Trieben, gute Blüte im Alter von zwei Jahren, winterhart, robust. "The best dark green seedling I found, my favourite."

- Deliberately raised and selected seedling from self-pollinated 'Albert's Gold'. Raised in May 2011, selected by J. van Leuven in October 2013.

E. australis 'Polar Express'

® E.2016:07: registered on 21 December 2016 by D. Edge, Forest Edge Nurseries, Wimborne, Dorset.

* Flowers single, in groups of four at tips of shoots, flowering shoots very densely crowded towards ends of branches; corolla c. 9mm long, white, slightly curved, widening towards mouth; calyx segments unequal, with broad translucent margins and pale green mid-rib, lobes c. 3mm long, c. 1.5mm broad; anthers brown; style to 9mm long prominently emerging from corolla, style end green when fresh; nectar profuse; April–June. Foliage deep green; linear leaves to 6mm long. Compact bushy shrub to 0.9m tall, to 1m across in 3 years (not pruned).

- Seedling 05-2-20 raised by K. Kramer in 2005, F2 seedling of self-pollinated 'Mr Robert'. Selected and named by David Edge in 2016 after cultivation in Forest Edge Nurseries. Hardier than other clones of *E. australis* having survived a frost test as a seedling in Germany. Distinguished from 'Mr Robert' and 'Holehird White' by green style end.

E. carnea 'Cordula'

® E.2016:01: registered on 18 February 2016 by K. Kramer, Edeweicht-Süddorf, Germany.

* Flowers salmon (H15) without any trace of blue, single, larger than normal; February–April. Leaves dark green. Broad, erect shrub to 30cm tall, 35cm across after 3 years.

- Seedling raised and selected by K. Kramer in 2010.

E. carnea 'Sally'

® E.2016:04: registered on 5 December 2016 by D. Edge, Forest Edge Nurseries, Wimborne, Dorset.

* Flowers single, small, crowded on shoot tips in dense spike; corolla c. 5mm long, rose pink (H7); calyx paler, lobes to 2.5mm long; anthers dark; January–April. Foliage "lemon yellow" (RHSCC 145A Yellow-green group: plant from shade-house in December) throughout the year; leaves to 10mm long. Compact shrub to 15cm tall, 25 cm across in 3 years (not pruned).

- Sport on 'Saskia' found by David Edge in 2015 at Forest Edge Nurseries.

E. carnea 'Snowbelle'

® E.2016:05: registered on 5 December 2016 by D. Edge, Forest Edge Nurseries, Wimborne, Dorset.

* Flowers variously malformed, in unevenly spaced, loose spike; axillary clusters of 1–3 flowers widely spaced; corolla white c. 6mm long, apex splitting unevenly (often not into 4 lobes); calyx lobes 4 (rarely 5), white, petal-like, to 5mm long, c. 1–1.5mm wide, exceeding the corolla until anthesis; stamens 8 (rarely 9–11), often malformed and contorted; anthers tan; style may be malformed and contorted, or straight; ovary green: January–May. Foliage mid-green throughout the year, leaves c. 10mm × c. 2mm, whorls widely spaced. Bushy, low-growing heather; to 20cm tall, to 35 cm across (not pruned) in 3 years.

- Seedling found at Forest Edge Nursery by David Edge, in 2014.

E. × darleyensis 'Michael Sellers'

® E.2016:03: registered on 29 August 2016 by Barry Sellers, Norbury, London.

* Corolla magenta (H14), 6mm long × 3mm diameter; calyx magenta (H14), 4mm long; anthers brown. Flowers January–April (–May). Foliage mid to dark green; young growth cream. Vigorous plant, spreading to 0.6m, to 0.4m tall, after 10 years (not pruned).

- Seedling (EES 77-1) raised in 1977 and selected in 1979 by Barry Sellers from among seedlings of *E. erigena* 'Superba' that had been deliberately cross-pollinated; pollen parent not recorded but probably *E. carnea* 'Myretoun Ruby'. Similar to 'Kramers Rote' but with brighter flowers and cream new growth.

E. × darleyensis 'Pink Harmony'

® E.2016.06; registered on 18 February 2016 by Kurt Kramer, Edewecht-Süddorf, Germany.

- Adopted name for E.2013.03 'Pink Magic' (*Heathers* 11: 69) an established name rejected by CPVO.

E. × factitia 'Heidedorf Lüllingen'

® E.2016:08: registered on 7 November 2016 by J. van Leuven, Geldern-Lüllingen, Germany.

* Flowers white; malformed style-end noticeably crooked; stamens with sigmoid bend towards apex of filament; anthers without any visible awns. Some flower bud aborted. Foliage mid-green.

- Clone 7 from *Erica lusitanica* × *E. carnea* 'Winterfreude', artificial cross made by J. van Leuven in 2012

E. mackayana 'Susie's Blush'

® E.2016:02: registered on 8 August 2016 by Registrar, The Heather Society.

* Bushy heather which responds well to pruning, with vigorous upright shoots to 0.35m tall, to 0.5m across (after 8 years in cultivation; pruned); leaves densely and evenly arranged on shoots, bright green, paler than 'Shining Light'; marginal cilia may be gland-tipped. Buds relatively long and narrow, slightly curved; corolla white at base flushed pale pink towards tip (deeper pink in bud); style tip dark red; anthers brown (darker than 'Shining Light'). (VI-)VII-IX in cultivation.

- A selection from wild plants growing near Cabo de Peñas, Asturias, noticed by members of The Heather Society during a field trip to northern Spain in 2007. Named as a compliment to Susie Kay in whose garden it has been grown and who has propagated it.

The certificate of registration was presented to Susie Kay at the 2016 Annual Gathering.

Other names

Calluna vulgaris

'Adele': CLL 535 (code E. J. 17)

'Asli': www.van-leuven-gartenbau.de

eine weitere weiße, frühe Sorte, sehr vielversprechend. Wüchsig, lange haltbar. Verträgt auch spätes Stutzen, blüht dann entsprechend später.

'Betty': www.silber-gartenbau.de

'Betty' ist ein Sport aus 'Bettina' und deshalb ähnlich starkwüchsig mit großen weißen Knospen und leicht silbrigen Spitzen. Im ersten Testjahr blühte sie zwei Wochen früher als 'Bettina', allerdings auch eine Woche später als 'Madonna'. Damit wäre 'Betty' für einen Übergang zum Hauptsortiment geeignet oder auch eine eingeschränkte Alternative zu 'Madonna'.

'Cierra': CLL 540 (code E. J. 22)

'Dunja': www.van-leuven-gartenbau.de

helles lilarosa, aufrechter Wuchs, große Knospe, Hauptsortiment-Lateline.

'Franca': www.silber-gartenbau.de

'Franca' blüht etwas später als 'Athene', hat einen guten Aufbau mit einem etwas höherem Blütenansatz. Voll ausgefärbt und verkaufsreif waren die leuchtend roten Knospen im ersten Testjahr ab Mitte September.

'Irma': www.van-leuven-gartenbau.de

dunkelrot, spät (Lateline)

'Kemi': www.silber-gartenbau.de

'Kemi' gehört zu den flacher wachsenden Gardengirls in der seit 2015 neuen Compact Line. Sie zeichnet sich auch durch eine gute Haltbarkeit aus und ist die farbliche Ergänzung zu 'Kinja'.

'Kinja': www.silber-gartenbau.de

In Haltbarkeitstests zeigte 'Kinja' schon in Woche 34 die erste Farbe und sah bis Ende Oktober noch gut aus. Die Compact Line kann z.B. als farbige Unterpflanzung der anderen aufrecht wachsenden Sorten dienen. Außerdem findet sie in Schalen oder in einer Gardengirls Combo Line ihre Verwendung.

'Lilia': CLL 537 (code E. J. 19)

'Lioba': www.van-leuven-gartenbau.de

hellrot, aufrecht, spät (Lateline)

'Maura': CLL 542 (code E. J. 24)

'Nebula': proposed denomination for CLL 526 ("Jüli"); *Blatt für Sortenwesen* **49** heft 8: 182 (2016).

'Red Lake': CLL 536 (code E. J. 20)

'Reinweiße Lena': www.silber-gartenbau.de

Die 'Reinweiße Lena' ersetzt auch namentlich ihre Vorgängerin 'Weiße Lena', die durch ihr dunkles Laub und der nicht ganz weißen Blüte nur schwer einen Platz im Sortiment finden konnte. Bei uns wurde sie noch nicht getestet, aber sie hat auf jeden Fall grünes Laub und richtig weiße Knospen.

'Sonna': *Heather news quarterly* **37** (4) [no. 148]: 12 (name only)

Daboecia cantabrica

VL-A: nursery name/code for DAB 17; *Blatt für Sortenwesen* **48** heft 08: 162; __ 09: 191 (2015).

VL-B: nursery name/code for DAB 16; *Blatt für Sortenwesen* **48** heft 08: 162; __ 09: 191 (2015).

VL-C: nursery name/code for DAB 17; *Blatt für Sortenwesen* **48** heft 08: 162; __ 09: 191 (2015)

Daboecia × *scotica*

'W. Buchaman' (error): Marktverband Bremen website (accessed 28 December 2015).

Erica carnea

'Steffi': weiße Blüte, leuchtender als 'Isabell', mittelstarker Wuchs. <http://www.heidezuechtung-kramer.de/index.html?con=/heidesorten/> (accessed 14 December 2016).

Erica gracilis

'AW 1007': *Blatt für Sortenwesen* **49** Sonderheft: 52 (April 2016).

'AW 1008': *Blatt für Sortenwesen* **49** Sonderheft: 52 (April 2016).

'AW 1053': *Blatt für Sortenwesen* **49** Sonderheft: 52 (April 2016).

'Glaser's Rote T1.12': www.silber-gartenbau.de

'Glaser's Rote T3.06': www.silber-gartenbau.de